



YOUR SMARTER SOURCE FOR ALL THINGS PLASTIC AND POLYETHYLENE

Americover is a premier supplier of plastic sheeting and polyethylene solutions serving businesses and consumers across the construction, horticulture and agriculture industries.



800.747.6095
760.747.6095



2067 Wineridge Place, Suite F
Escondido, CA 92029



Inquiries@americover.com
www.americover.com

WE ARE SPECIALTY PLASTIC SHEETING EXPERTS

We strive to be your go-to source, so if you need a product that isn't shown in the catalog please call your Account Manager. Our large network of manufacturing partners provide us with access to a wide variety of products and fabrication capabilities.

CONTACT YOUR DEDICATED ACCOUNT MANAGER

Charlie Adkins

Charlie@americover.com

1-800-747-6095 ext. 7931

Daniel Mergens

Daniel@americover.com

1-800-747-6095 ext. 2210

Jason Treiger

Jason@americover.com

1-800-747-6095 ext. 6025

Lisa Richards

Lisa@americover.com

1-800-747-6095 ext. 9701



For over 25 years, Americover has been a premier supplier of plastic sheeting and protective films to the construction and agriculture industries worldwide. Sought out for our expertise in standard and specialty sheeting from crawl space liners and fire retardant films to light deprivation covers, the Americover team is known for creating the right solution for the application.



From custom fabricated solutions to high quality flexible films, Americover Builds has been serving the construction industry for over 25 years. Over that time, we have built a network of premier U.S. manufacturers that provide only the best in plastic sheeting and protective films. As a result, Americover Builds is able to offer the widest range of plastic sheeting available with features such as fire retardancy and string reinforced durability to meet industry standards.



Proudly featuring superior greenhouse covers known for quality and durability, Americover Grows serves the agricultural market with products designed to make grower’s lives easier while maximizing their harvests. From light deprivation covers to water retention liners and accessories, the Americover team has the expertise to find the right solution for your needs.

We're more than a source for plastic sheeting!

We’ve been providing countless industries with application-based solutions since 1993.



AGRICULTURE



CONSTRUCTION



LOGISTICS



HORTICULTURE



REMODELING



MARINE



AQUAPONICS



ENVIRONMENTAL



DISASTER RELIEF




AERONAUTICAL



GOVERNMENT



ENTERTAINMENT



DURA SKRIM consists of two sheets of high-strength virgin polyethylene film laminated together with a third layer of molten polyethylene. Outer layers contain UV inhibitors and thermal stabilizers to enhance outdoor life. A heavy scrim reinforcement placed between these layers enhances tear resistance and increases service life.

DURA SKRIM® is reinforced with a heavy-duty scrim laid in a diagonal pattern spaced 3/8" apart with an additional machine direction scrim every 9" across the width. The individual plies are laminated together with molten polyethylene.

APPLICATIONS

- ▶ Building & construction enclosures
- ▶ Vapor barriers
- ▶ Crawlspace encapsulation liners
- ▶ Erosion control
- ▶ Shipping and packaging
- ▶ Temporary liner or cover
- ▶ Asbestos abatement
- ▶ Remediation covers
- ▶ Fumigation covers
- ▶ Cargo wraps
- ▶ Temporary walls or partitions
- ▶ Lumber covers
- ▶ Ice rink liners
- ▶ Sets and production
- ▶ Equipment protection
- ▶ And much more




SIZE & PACKAGING

All panels are accordion folded and tightly rolled on a heavy-duty core for ease of handling and time-saving installation. Most custom lengths start at 50' and increase in 5' increments up to 500' Long.

Stocked in 100' length rolls.

BLACK DURA SKRIM



Part #	Mil	Widths
DS6BB	6 Mil	6' 24' 32'
DS8BV	8 Mil	6' 24'
DS12BV	12 Mil	6' 20'

WHITE DURA SKRIM



Part #	Mil	Widths
DS6WW	6 Mil	6' 12' 20'
DS20WW	20 Mil	6' 12' 18' 24'


DS20WW is stocked in lengths of 50' and 100' long.

FIRE RETARDANT DURA SKRIM




Part #	Mil	Widths
DS2FR	6 Mil	6' 12' 20'
DS10FR	10 Mil	6' 20'

CLEAR DURA SKRIM




Part #	Mil	Widths
DS2	6 Mil	6' 8' 10' 12'
DS2	6 Mil	16' 20' 40' 60'
DS10HUV	10 Mil	6' 20'

BLACK/WHITE DURA SKRIM



Part #	Mil	Widths
DS6WB	6 Mil	6' 12' 24'
DS8WB	8 Mil	6' 12' 20' 24'
DS12WB	12 Mil	6' 12' 24'



Tuff Scrim’s high-strength reinforcement provides superior puncture, tear, and abrasion resistance. Materials of construction can be formulated to provide many important performance characteristics. From outstanding weathering characteristics to custom features, such as fire retardancy, anti-static properties, corrosion inhibition, or heat shrink ability.


APPLICATIONS

- ▶ Antimicrobial covers
- ▶ Athletic field covers
- ▶ Bags
- ▶ Containment
- ▶ Contaminated soil covers
- ▶ Crawl space vapor retarders
- ▶ Contaminated equipment covers
- ▶ Dust partitions
- ▶ Equipment covers
- ▶ Fire retardant covers
- ▶ Fumigation
- ▶ Heat shrinkable covers
- ▶ Landfill interim covers
- ▶ Outdoor storage covers
- ▶ Pallet or shipping covers
- ▶ Plant divider curtains
- ▶ And more


TUFF SCRIM CUSTOM FABRICATION OPTIONS




BLACK TUFF SCRIM



BLACK/WHITE TUFF SCRIM




WHITE TUFF SCRIM




Part #	Mil	Widths	Part #	Mil	Widths	Part #	Mil	Widths
TS6BB	6 Mil	4' 8' 12' 16' 20'	TS6BW	6 Mil	4' 8' 12' 16' 20'	TS6WW	6 Mil	4' 8' 12' 16' 20'
TS8BB	8 Mil	4' 8' 12' 16' 20'	TS8BW	8 Mil	4' 8' 12' 16' 20'	TS8WW	8 Mil	4' 8' 12' 16' 20'
			TS14BW	14 Mil	4' 8' 12' 16' 20'	TS12WW	12 Mil	4' 8' 12' 16' 20'
						TS20WW	20 Mil	6' 12' 18'

CLEAR TUFF SCRIM



ANTISTATIC FIRE RETARDANT TUFF SCRIM



FIRE RETARDANT TUFF SCRIM



Part #	Mil	Widths	Part #	Mil	Widths	Part #	Mil	Widths
TS6CC	6 Mil	4' 8' 12' 16' 20'	TS-6ASFR	6 Mil	12' 20'	TS6FR	6 Mil	4' 8' 12' 16' 20'
TS8CC	8 Mil	4' 8' 12' 16' 20'				TS8FR	8 Mil	4' 8' 12' 16' 20'
TS12HUV	12 Mil	6'				TS14FR	14 Mil	4' 8' 12' 16' 20'

Standard rolls have 100 ft lengths and 4' width increments. Roll sizes are available from 4' x 100' to 40' x 100' in increments of 4' widths. (TS12HUV is built in 6' widths) Some sizes are available for immediate shipment. Expect a lead time on custom orders.

Custom sizes up to 100' x 200' and custom fabrication are available to meet your exact specifications.

Americover offers a variety of Fire Retardant Plastic Sheeting that pass NFPA 701 small and large scale and ASTM E-84 standards. Each product has a unique feature that varies from biaxial heat shrinking, anti-static, string reinforced, carbon black UVI, printed and non-printed.

APPLICATIONS

- ▶ Construction enclosures
- ▶ Asbestos abatements
- ▶ Dust containment
- ▶ Hospital corridors
- ▶ Renovation and remodel
- ▶ Cleanroom
- ▶ Theatre backdrops
- ▶ Blackout curtains
- ▶ Military and defense
- ▶ Aerospace
- ▶ Erosion control
- ▶ Schools
- ▶ Public facilities
- ▶ Museums
- ▶ Hospitals
- ▶ Themed attractions
- ▶ Data centers/Call centers
- ▶ Cruiselines and marine


ANTI-STATIC FIRE RETARDANT

6 Mil Anti-static Fire Retardant Plastic Sheeting was originally designed to meet the regulations of the telecommunications industry. Therefore, it conforms to regulations dated October 1, 2001, Section B, TP 76300MP 1.2.7: "All combustible materials stored overnight in the equipment area shall be completely covered with a fire retardant tarp that meets the NFPA 701 or U L214 and is clearly marked as such".

ANTI-STATIC FIRE RETARDANT POLY SHEETING




ANTI-STATIC FIRE RETARDANT REINFORCED TUFF SCRIM



Part #	Size	Part #	Size
ASFR612	12' X 100'	TSASFR12	12' X 100'
ASFR620	20' X 100'	TSASFR20	20' X 100'

BLACK & WHITE FIRE RETARDANT PLASTIC SHEETING

4 Mil & 8 Mil Fire Retardant Plastic Sheeting is lightweight and passes NFPA 701, test 1. Fire retardant poly sheeting can be used as a dust barrier, construction enclosure, backdrop for stages and anywhere fire retardant materials are required. Available in Black or White.



Part #	Color	Mil	Size
4MFR12	White	4 Mil	12' x 100'
CB412FR	Black	4 Mil	12' x 100'
CB85	Black	8 Mil	5' x 500'
CB824	Black	8 Mil	24' x 100'

REINFORCED FIRE RETARDANT PLASTIC SHEETING

Fire Retardant String Reinforced Poly Sheeting is reinforced with a layer of polyester scrim to prevent tearing. Both of these products have been tested to meet building codes where fire retardant materials are required.

REINFORCED FIRE RETARDANT DURA SKRIM



Part #	Size
6 Mil	
DS2FR6	6' X 100'
DS2FR12	12' X 100'
DS2FR20	20' X 100'
10 Mil	
DS10FR6	6' X 100'
DS10FR20	20' X 100'

REINFORCED FIRE RETARDANT TUFF SCRIM



Part #	Size
TS6FR	6 Mil
TS8FR	8 Mil
TS14FR	14 Mil
Standard Widths	
4' 8' 12' 16' 20'	
Stocked in 100' lengths	

SELF-ADHESIVE FIRE RETARDANT FILMS


Self-Adhesive Fire Retardant Films have a high-tech, water-based adhesive system that won't discolor or dye the designated surface. They have a clean release for easy removal without adhesive transfer.

SELF-ADHESIVE FIRE RETARDANT CARPET COVER



Part #	Mil	Size
CCFR36500	3 Mil	36" x 500'
CC4FR8500	3 Mil	48" x 500'


SELF-ADHESIVE FIRE RETARDANT MULTISURFACE COVER



Part #	Mil	Size
636FRMSC	6 Mil	36" x 360'

FIRE RETARDANT DECK COVER & HARD SURFACE COVER

Fire Retardant Deck Cover™ & Hard Surface Cover is flame retardant and embossed with anti-slip that's been certified for NFPA 701 Test 1, GSA standard 191 method 5903 fire test, and other government standards. It is ideal for medium to heavy-duty protection during periods of construction, refit, new build, conversion, and repair because it is easy to cut-to-size around permanent objects, it is reusable and suitable for both short term and long term projects to protect floors, decks, courts, corridors and more.



Part #	Mil	Size
HSCFR14	14 Mil	36" X 75'
DC14	14 Mil	36" X 150'
DC30	30 Mil	36" X 100'

Americover's self-adhesive surface protection is a high-quality 3 mil specialty film that provides reliable protection for various surfaces any time you need it, especially during construction and remodeling. Our surface protection film is amazingly strong, durable, puncture, and tear-resistant. The high-tech, water-based adhesive system has money-saving benefits over solvent-based systems. This film won't discolor or dye the surface, and it has a clean release for easy removal without adhesive transfer.

APPLICATIONS

- ▶ Dust containment
- ▶ Hospital enclosures
- ▶ Renovation and remodel
- ▶ Cleanroom
- ▶ Paint overspray protection
- ▶ Commercial construction
- ▶ Damage/scratch protection
- ▶ High traffic stain protection

CARPET COVER™ available in fire retardant



Clear 3 mil self-adhesive film protects carpets and rugs for up to 30 days per application.

Part #	Size	Part #	Size
CC24200	24" x 200'	CC36500	36" x 500'
CC36200	36" x 200'	CC48500	48" x 500'

MULTI-SURFACE COVER - also available in 6 mil fire retardant



Blue 3 mil self-adhesive film protects smooth, hard surfaces for up to 30 days per application.

Part #	Size	Part #	Size
MSC24200	24" x 200'	MSC30500	30" x 500'
MSC24500	24" x 500'	MSC36500	36" x 500'

RAPID WALL COVER™



Poly sheeting pre-attached to 2" wide painter's tape "clings" to surfaces to protect against paint overspray and dust.

Part #	Size
RWC10	10' x 100'

SURFACE PROTECTION

6 MIL BEARACADE® SELF-ADHESIVE PROTECTION FILM



Self-adhesive BearAcade® Containment & Surface Protection Film is a 6 mil, heavy-duty, puncture-resistant solution. It prevents damage to a variety of surfaces like carpet, smooth surfaces, textured surfaces, and more. BearAcade® replaces the traditional method of tape and poly to minimize failures in a range of different abatement applications and makes installation and cleanup a breeze. Also, it's used in demolition to contain broken glass for site safety.

APPLICATIONS

- ▶ Abatement containment
- ▶ Demolition containment
- ▶ Glass shatter containment
- ▶ Mold remediation
- ▶ Lead abatement
- ▶ Renovation containment
- ▶ Indoor remodeling

BEARACADE® HEAVY-DUTY CARPET COVER FILM



Part #	Size
6CCB48	48" x 200'

BEARACADE® MULTI-SURFACE PROTECTION FILM



Part #	Size
6MSB48	48" x 200'



Corrugated plastic sheets, also referred to as polypropylene twin-wall sheets or fluted boards, are suitable for indoor and outdoor applications requiring a durable, high-impact resistant material. These lightweight protection boards are easily cut, bent, and scored for use in a wide variety of applications to save you time and money.

This cost-effective, reusable temporary protection solution is available in anti-static, fire retardant, and non-fire retardant versions.

PRODUCT BENEFITS

- ▶ Non-toxic and recyclable
- ▶ Water and chemical resistance
- ▶ Impact resistance
- ▶ Wear and tear durability
- ▶ Lightweight, easy installation
- ▶ Custom print available
- ▶ Multiple color options
- ▶ Quick and easy to tape together

APPLICATIONS

- ▶ Temporary protection
- ▶ Floor protection
- ▶ Elevator protection
- ▶ Window protection
- ▶ Decorative cement protection
- ▶ Stair landing protection
- ▶ Door jam protection
- ▶ Temporary curtain wall
- ▶ Printed signage

Fire Retardant Thickness Options

2.3 mm to 4 mm

Non-Fire Retardant Thickness Options

2 mm to 10 mm



DPC VINYL CURTAINS

CLEAR FIRE RETARDANT VINYL SHEETING



Americover's New Fire Retardant Vinyl Covering is ideal for creating desktop and hanging barriers in hospitals, salons, schools, restaurants, offices, anywhere separation is needed. Unlike most fire-retardant plastic sheeting that is white or cloudy, our DPC Vinyl Curtains are crystal clear and pass NFPA 701-2019 Test 2.

This 12 mil, heavy-duty film can be glued together to create multiple widths - the roll width is 4.5'. Create wider curtains using vinyl glue or tape.

APPLICATIONS


- ▶ Restaurants
- ▶ Schools
- ▶ Libraries
- ▶ Hospitals
- ▶ Retail
- ▶ Cubicle workspaces
- ▶ Counters
- ▶ Table dividers
- ▶ Conference rooms

Width	Length
54"	8' 15p/roll
54"	400'
54"	250'
54"	150'

Using vinyl glue or tape you can create wider curtains. [8'11", 13.3', 17.71', 22.13', 26.5' (based on a 1" seam)].


Available in pre-hemmed curtains 4.5' x 8' to use with a tension rod (not included). Sold 15 per box.





Heat shrink wrap is manufactured with 100% virgin resin and contains maximum UV inhibitors for long-term outdoor usage. Color options include white, blue, and clear. This film minimizes condensation and moisture build-up for seasonal and long-term protection for up to two years. Please Note: Proper installation of heat shrink wrap requires the use of a heat gun.

We offer a range of thicknesses from 6 to 12 mil. It's also available in Fire Retardant and standard. Please call for stocked sizes and pricing.



HSW ACCESSORIES & TOOLS

APPLICATIONS

- ▶ Scaffolding wraps for buildings
- ▶ Temporary roof covers
- ▶ Modular home wrap
- ▶ Storage cover for large machinery
- ▶ Transportation covers
- ▶ Industrial containments
- ▶ Ice rink liners
- ▶ Boat/RV storage
- ▶ Geodesic dome structure cover
- ▶ Pallet wraps
- ▶ Fuselage covers
- ▶ Vehicle covers
- ▶ Weather protection

Shrink Fast 998 Heat Tool

Powered by propane gas



White Strapping

3/4" x 2100'



Extension for Heat Tool

2', 4', 6'



Heat Shrink Tape

2" x 165'
4" x 165'



Strap Buckles

3/4" 100ct by weight



Tensioner Tool

1/box



Film Cutting Knife

1/pack



EasyZip HD Zipper (7'long)

2/pack
24/case



CUSTOM DEBRIS NETTING

CUSTOM REUSABLE CONSTRUCTION SAFETY NETTING



Custom Debris Netting is a durable, sustainable, and versatile solution to keep you on schedule and in compliance with OSHA and ANSI standards. The construction netting we offer has been rigorously tested to stand up to the specific hazards of commercial and residential construction sites.

There are many product options to create the ideal netting for your construction project. Customize all the features of your netting, from the mesh size and border sewing options to the material types and colors. These high-quality netting systems are also available in a fire retardant version.

Meets the following industry standards:



CUSTOMIZATION OPTIONS

Type	Options
Mesh Size	0-4"
Border Options	1/4" Sewn 1/8" Sewn 2" Web 3" Web Woven Rope
Material Type	Knotless Nylon Knotless Polypropylene Knotted Nylon Knotted Polyester Polyester Debris Liner Polyethylene Liner Rope Webbing
Colors	Black Blue Blue/Red Clear Green Grey Multicolor Opaque Orange Red Sand Sand/Green Silver White Yellow

APPLICATIONS

- ▶ Construction
- ▶ Debris containment
- ▶ Bridge safety
- ▶ Demolition
- ▶ Perimeter safety
- ▶ Animal barrier
- ▶ Insect barrier
- ▶ Hail guard
- ▶ Recreational

Americover's has an array of Vapor Barriers that can restrain harmful pollutants, such as radon, methane and petroleum hydrocarbons. Many sources of toxic vapor are underground soil, ground water, storage tanks and septic systems. Vapor Barriers are also placed in walls, floors, ceilings and crawl spaces which control absorption and condensation of moisture, preventing mold.

See our product guide below to determine which products we recommend for your application.

PRODUCT	1. UNDERSLAB	2. CRAWLSPACE	3. WALL	4. CEILING	5. ROOF
String Reinforced Poly (See Pages: 4-7)	X	X	X	X	X
ProCrawl Anti-Mold	X	X			
ProCrawl Barrier	X	X			
Vapor Block	X	X			
Vapor Block Plus	X	X			
Vapor Barrier Blue	X	X			
Vapor Barrier Yellow	X	X			
Drainage (See Page 19)	X	X			
Radiant Barrier (See Page: 18)		X	X	X	X



VAPOR BARRIER & RETARDERS


10-20 MIL MOISTURE VAPOR BARRIER FILM



These high performance vapor barriers are ideal for preventing moisture and harmful gasses from migrating into your building structure's foundation. When properly installed as an underslab vapor retarder or crawlspace encapsulation liner, they improve indoor air quality and help protect your home or building from moisture degradation.

APPLICATIONS

- ▶ Underslab vapor barriers/retarders
- ▶ Foundation wall moisture retarders
- ▶ Radon retarders
- ▶ Crawlspace encapsulation
- ▶ Residential & commercial construction



PRO CRAWL ANTI-MOLD (White/Pink) WITH MOLD PREVENTION TECHNOLOGY

Thickness	Width	Length
10 mil	10'	100'



PRO CRAWL BARRIER (White)

Thickness	Width	Length
10 mil	10'	100'



XTREME VAPOR BARRIER (Light Blue)

Thickness	Width	Length
10 mil	14'	200'
15 mil	14'	150'
20 mil	12'	150'



VAPOR BLOCK® (Blue)

Thickness	Width	Length
10 mil	15'	200'
15 mil	12'	200'



VAPOR BLOCK® PLUS (Gold & White)

Thickness	Width	Length
20 mil	10'	100'
20 mil	10'	200'
20 mil	10'	50'



VAPOR BARRIER PLUS (Yellow)

Thickness	Width	Length
10 mil	14'	210'
15 mil	14'	210'

You can save energy all year round with Radiant Barrier, which works by reflecting heat similar to how a Thermos bottle works. It keeps the airspace inside at the desired temperature longer. In the summer, it inhibits radiant heat transfer from outdoors, and in winter, it prevents heat loss.


Radiant Barrier passes ASTM E84 with a Class A/Class 1 fire rating.



APPLICATIONS


- ▶ Residential retrofit
- ▶ OEM applications
- ▶ Radiant heat flooring
- ▶ Commercial insulation
- ▶ Industrial insulation
- ▶ House-wrap
- ▶ Roofing systems
- ▶ Hot water heater wrap
- ▶ Pipes
- ▶ Metal and commercial buildings
- ▶ Roofing systems
- ▶ Basements
- ▶ Crawl spaces
- ▶ Stud walls
- ▶ Spaces with a high R factor requirement

SUPER R DIAMOND (Scrim Reinforced)



Width	Length
48"	125'
48"	250'

SUPER R PLUS




Width	Length
48"	125'
48"	250'

TEMPSHIELD (Single Bubble-Double Foil)




Width	Length
48"	75'
48"	250'

TEMPSHIELD (Single Bubble-White/Foil)



Width	Length
48"	75'
48"	250'

TEMPSHIELD (Double Bubble-Double Foil)



Width	Length
48"	75'
48"	250'

TEMPSHIELD (Double Bubble-White/Foil)



Width	Length
48"	75'
48"	250'

DRAINAGE & VENTILATION MATS

FOR HORIZONTAL AND VERTICAL DRAINAGE APPLICATIONS



Drainage and ventilation mats are great in horizontal and vertical applications requiring a multi-functional product that combines drainage, protection, and filtration to control water flow.

A protective and separating nonwoven filter is thermal bonded or spot welded onto a polymer drainage core. The stiffness, discharge capacity, tensile strength, and fleece properties vary per product type.

PRODUCT BENEFITS

- ▶ Long-term durability against environmental stress cracking
- ▶ Rot-proof for continuous drainage throughout its service life
- ▶ Various product options tailored to specific applications
- ▶ Highly effective against hydrostatic pressure build-up
- ▶ Lightweight and easy to install
- ▶ Resistant to root penetration and chemical degradation



ENKA SOLUTIONS

Ask us about Enka for Radon Mitigation Applications

Product	Core Width	Length	Area	Thickness
EnkaDrain 3611	39"	100'	325 ft ²	.50"
EnkaDrain 3615	39"	100'	325 ft ²	.45"
EnkaDrain 3811R	39"	100'	325 ft ²	.50"
EnkaDrain W 3601	39"	185'	601.3 ft ²	.25"
EnkaDrain 9010	39"	100'	324 ft ²	.40"
EnkaMat 7010	39"	169'	650 ft ²	.25"
EnkaVent 6128	18"	100'	150.3 ft ²	.80"
EnkaRetain & Drain 3111	39"	61.5'	200 ft ²	.60"
EnkaRetain & Drain 3211	39"	61.5'	200 ft ²	.20"

APPLICATIONS

- ▶ Green roof
- ▶ Foundation walls
- ▶ Plaza decks
- ▶ Retaining walls
- ▶ Playgrounds
- ▶ Zoos
- ▶ Landfill caps
- ▶ Hydrostatic pressure relief
- ▶ Planters



DELTA DRAIN

FOR WATER FLOW

Dimple Height 5/16"

Dimensions	Weight
6' x 65' 7"	60 lbs
8' x 65' 7"	73 lbs



Americover's heavy-duty liners have an extended outdoor lifespan due to their excellent ultra-violet and stress crack resistance. With a superior manufacturing process and high-quality resins, the liners we offer are highly puncture and tear-resistant.

If you need a reliable source for geomembranes and geotextiles, then Americover has you covered. Contact us with your specifications, and we'll help you find a liner that meets your needs. Lead times may vary.

APPLICATIONS

- ▶ Water retention
- ▶ Water conservation ponds
- ▶ Landfill cell construction
- ▶ Exposed industrial ponds
- ▶ Lakes & Canals
- ▶ Aquaponics / Hydroponics
- ▶ Decorative ponds and water features
- ▶ Fish tank liners
- ▶ Deepwater culture system liners (raft bed liner)
- ▶ Shrimp raceway liners
- ▶ Root barrier

Custom Fabricated Liners Options:

- ▶ **HDPE** (high-density polyethylene)
- ▶ **PVC** (polyvinyl chloride)
- ▶ **LLDPE** (low linear density polyethylene)
- ▶ **RPE** (reinforced polyethylene)
- ▶ **WCP** (woven coated polyethylene)



3D DROP-IN HDPE POND LINERS

Custom fabricated liners have many time saving benefits. We not only offer custom size fabrication options, but we also have the ability to provide custom welded 3D drop-in liners in a variety of shapes and sizes.



AGRICULTURAL & CULTIVATION SOLUTIONS

AMERICOVER HAS YOUR PLASTIC SHEETING SOLUTIONS

Americover is the smart source for creating the ultimate growing environment. Whether you are just starting your farm or you're a seasoned expert, we provide you with the best customer service and highest quality greenhouse products. Our team of professionals can't wait to talk with you about your growing needs.

HOW AMERICOVER HELPS YOU GROW

It isn't just about providing you with the most durable greenhouse products the market has to offer. We cater to each customer's individual needs to ensure you are making an informed decision on the products you purchase.

These are just a few of the benefits of working with us!

- ▶ Dedicated Account Manager
- ▶ Customization Capabilities
- ▶ Source Capabilities for Hard-To-Find Products
- ▶ High Quality American Made Products
- ▶ No Minimums on Most Products
- ▶ Fast Shipping



Standard clear polyethylene greenhouse covers are available in 6 mil with a 4-year outdoor lifespan. These clear greenhouse films offer high light transmission, and weather protection against wind, rain, snow, and UV rays year-round.

Clear greenhouse covers are also available with infrared/anti-condensate which offers drip control and constant heat retention.



APPLICATIONS

- ▶ Greenhouse cover
- ▶ Overwintering Cover

6 MIL GREENHOUSE COVER (Available in Clear and White)

Tube Widths

10' 12' 14' 16' 18' 20' 21' 22' 24' 25' 26'

Sheet Widths (All of the above widths plus the following)

28' 32' 36' 40' 42' 44' 48' 50'

6 MIL GREENHOUSE COVER INFRARED / ANTI-CONDENSATE

Tube Widths

10' 12' 14' 16' 18' 20' 21' 22' 24' 25'

Sheet Widths (All of the above widths plus the following)

28' 32' 36' 40' 42' 44' 48' 50'

SOLASCRIM™ GREENHOUSE COVER

4-YEAR CLEAR REINFORCED GREENHOUSE COVER



SolaScrim™ is specifically engineered as a superior 10 mil long-life reinforced greenhouse cover. SolaScrim™ consists of two sheets of high-strength polyethylene sandwiching a third layer of molten polyethylene. Heavy-duty polyester string reinforcement is placed between these layers to greatly enhance the tear-resistance, and service life of this agricultural film.

The film contains a high level of UV inhibitors to provide an expected lifespan of up to 4 years in normal outdoor conditions and offers 84% light transmission.



APPLICATIONS

- ▶ Greenhouse cover
- ▶ Structural cover
- ▶ Weather barrier

Please Note: Lead times vary on fabricated sizes and may be longer during peak season.



Stocked Rolls Sizes (Ready to Ship)

26.5' x 100'	40' x 100'	52.75' x 100'
33' x 100'	46.25' x 100'	

Custom Fabricated Width Options

6.75'	13.5'	26.5'	33'	40'	46.25'	52.75'
59.5'	66'	72.5'	79.25'	85.75'	92.25'	99'

Custom **Lengths** start at 50' and increase in 5' increments up to 500' Long.





BOLD® Black Out Light Deprivation Tarp is an 8 mil dual-sided Black/White reinforced polyethylene film specially designed for light deprivation greenhouse applications. We've added more carbon black to enhance the outdoor life expectancy and increase the light blocking capability. Additional UV inhibitors and thermal stabilizers added to the outer white layer reduces heat and condensation build-up. Neither side has micro perforations that could possibly leak light and the diamond reinforcement instantly stops punctures from becoming tears or rips to protect your sensitive plant species which can include but are not limited to chrysanthemums, mushrooms, cannabis, and microgreens.

BOLD® is available in stock and custom sizes. If you require a size that is not available to purchase online, please contact our representatives to discuss what sizes we can have fabricated for you.



APPLICATIONS

- ▶ Greenhouse cover
- ▶ Blackout light deprivation cover
- ▶ Sensitive plant cover

Please Note: Lead times vary on fabricated sizes and may be longer during peak season.



Stock Roll Sizes

13.5' x 100'	26.5' x 100'	33' x 50'	33' x 100'
33' x 125'	40' x 50'	40' x 100'	40' x 125'
46.25' x 100'	46.25' x 125'	52.75' x 100'	52.75' x 125'

Custom Fabricated Width Options

6.75'	13.5'	26.5'	33'	40'	46.25'	52.75'
59.5'	66'	72.5'	79.25'	85.75'	92.25'	99'

Custom **Lengths** start at 50' and increase in 5' increments up to 500' Long.

BOLD® EZARM


LIGHT DEPRIVATION TARP PULLER



Americover's BOLD® EZArm makes pulling tarps easier and faster. One person can cover and uncover a greenhouse in less than 3 minutes! Two people can do it in **60 seconds**.

The BOLD® EZArm adjusts to cover greenhouses 12' to 15' high, up to 30' wide and 100' long. Each adjustable arm is mounted to a concrete foundation and pivots on poly bushings specially engineered to resist rust and improve performance.


Once installed, your BOLD® EZArm will make daily covering and uncovering of your greenhouse an absolute breeze. This arm was exclusively designed to be used with BOLD® blackout light deprivation covers.



BOLD® EZarm

EXCLUSIVELY BY AMERICOVER

PRODUCT COLOR:
Gunmetal Grey Powder Coated



APPLICATIONS

- ▶ Light deprivation greenhouse

Each BOLD® EZARM set includes 2 base assemblies and 2 arm assemblies.





Woven Greenhouse Covers are manufactured by weaving narrow ribbons of high-density polyethylene and extrusion coating with an impermeable layer of low-density polyethylene. The heat from the process permanently fuses layers providing superior resistance to tearing, stretching, and puncture. The UV resistance extends the lifespan of these covers for up to 5 years.

This product is available in 9 mil and 12 mil thicknesses, in clear and dual-sided black/white. The clear woven greenhouse cover has 87% light transmission and anti-condensate technology to allow more natural light to shine on your crops.

Please Note: Lead times vary on supply and demand.

CLEAR APPLICATIONS


- ▶ Greenhouse cover
- ▶ Greenhouses
- ▶ Agriculture/poultry curtains

The black/white woven greenhouse cover contains carbon black on the underside to extend the cover's lifespan. The white outer layer reduces heat build-up.

Woven Greenhouse Covers are custom fabricated to size to fit your greenhouse needs. Lead times may vary depending on supply and demand.

BLACK/WHITE APPLICATIONS

- ▶ Blackout light deprivation
- ▶ Hay/grain pile covers
- ▶ Temporary erosion control
- ▶ Temporary rain shed covers
- ▶ Seed germination
- ▶ Sensitive plant cover



SEASONAL GREENHOUSE COVERS

TEMPORARY GREENHOUSE COVERS




Seasonal greenhouse covers are designed to protect your plants for a short period. An overwinter cover protects against rain, frost, snow, and freezing winds while helping insulate heat.

We offer reinforced and non-reinforced covers in white or clear.



The standard length for all rolls is 100' long. All panels are accordion folded and tightly rolled on a heavy-duty core for ease of handling and time-saving installation. Custom sizes are available.



6 MIL REINFORCED CLEAR GREENHOUSE COVER

Widths

6' 8' 10' 12' 16' 20' 24' 32' 40' 60'

10 MIL REINFORCED CLEAR GREENHOUSE COVER

Widths

6' 20'

APPLICATIONS

- ▶ Temporary greenhouse cover
- ▶ Overwintering cover

We also offer white overwintering greenhouse covers. Contact a dedicated Account Manager for more information.





Black/White non-reinforced poly sheeting is black on one side and white on the other. It's a waterproof, reflective, lightweight film used in a variety of agriculture and horticulture applications.

It's available in a 5 mil or 6 mil thickness, and it's an excellent choice when the cost is an overriding concern.

- ▶ UV Stabilized
- ▶ Durable puncture resistance
- ▶ Reflective and light blocking

APPLICATIONS

- ▶ Silage cover
- ▶ Blackout curtain
- ▶ Bunker cover
- ▶ Grow room
- ▶ Weed control
- ▶ Landscaping ground cover

5 MIL BLACK/WHITE POLY SHEETING

Width

25' 30' 32' 40' 50' 60' 80' 100'

Length

100' 150' 200'

5 mil custom sizes are available in widths from 25' to 100' wide and lengths up to 1,000 feet or more. Custom lengths minimum is 50' and is in 5' increments.

All rolls are accordion folded onto a heavy-duty core for ease of installation and handling. Call us for a quote.

6MIL BLACK/WHITE POLY SHEETING

Width

24' 40' 50' 60'

6 mil lengths are fully customizable.

INDOOR GROW ROOM POLY

WHITE AND BLACK FIRE RETARDANT PLASTIC SHEETING



Our fire retardant poly options are great for indoor grow rooms and growing facilities. All of our fire retardant sheeting meets NFPA 701 fire safety standards to create the ultimate growing environment for your plants. Line the walls, floors, and ceiling to reflect light, block light, and prevent water damage.

REINFORCED FIRE RETARDANT PLASTIC SHEETING

Stocked in standard 100' length rolls. Custom sizes Available.

REINFORCED FIRE RETARDANT DURA SKRIM



Part #	Mil	Widths
DS2FR	6 Mil	6' 12' 20'
DS10FR	10 Mil	6' 20'

REINFORCED FIRE RETARDANT TUFF SCRIM



Part #	Mil	Widths
TS6FR	6 Mil	4' 8' 12' 16' 20'
TS8FR	8 Mil	4' 8' 12' 16' 20'
TS14FR	14 Mil	4' 8' 12' 16' 20'


NON-REINFORCED FIRE RETARDANT PLASTIC SHEETING

ANTI-STATIC FIRE RETARDANT PLASTIC SHEETING




Part #	Mil	Size
ASFR612	6 Mil	12' X 100'
ASFR620	6 Mil	20' X 100'

REINFORCED FIRE RETARDANT TUFF SCRIM



Part #	Mil	Color	Size
4MFR12	4 Mil	White	12' x 100'
CB412FR	4 Mil	Black	12' x 100'
CB85	8 Mil	Black	5' x 500'
CB824	8 Mil	Black	24' x 100'





Shade Cloth can be custom fabricated in black, pearl white, red, blue, brown, and green in 30% - 90% densities. The lightweight material is made of UV-resistant, high-density polyethylene that resists rips, tears, and fraying. Shade cloths are commonly used for light diffusion in summer, and ChromatiNet® Spectral Netting is a type of knitted greenhouse shade cloth that enables growers to control light dispersion and accelerate growth rates. Shade cloth is also often used to protect your crops against hail, wind, sunburn, and birds.

APPLICATIONS

- ▶ Shade cloth
- ▶ Privacy canopies & screens
- ▶ Greenhouses
- ▶ Fruit trees
- ▶ Cattle sheds
- ▶ Poultry runs
- ▶ Permanent shade structures
- ▶ Mobile shade structures
- ▶ Shade sails
- ▶ Playgrounds
- ▶ Swimming pools shade
- ▶ Truck tarps




CUSTOM KNITTED COVERS


30%-90% DENSITY SHADE CLOTH



BLACK SHADE CLOTH - AVAILABLE WIDTHS: 6', 12', 20', 26', 32'



BLUE AND RED CHROMATINET® SHADE CLOTH - AVAILABLE WIDTHS: 26'



WHITE CHROMATINET® SHADE CLOTH AVAILABLE WIDTHS: 6', 12', 20', 26', 32'



BROWN AND GREEN DECORATIVE SHADE CLOTH AVAILABLE WIDTHS: 6', 12', 24'



Shade cloth can be customized to your application requirements. Custom Fabrication Capabilities include:

- ▶ Brass Grommets
- ▶ Sewing seaming to make wider panels
- ▶ Slitting to make smaller panels
- ▶ Taping on perimeter

Americover's reinforced aquaponic/hydroponic liners have a layer of polyester scrim reinforcement placed between these plies greatly enhances tear resistance and increases service life. The white outer layers reduce heat build-up and condensation and provide excellent dimensional stability.



APPLICATIONS


- ▶ Aquaponics
- ▶ Hydroponics
- ▶ Decorative ponds and water features
- ▶ Water retention
- ▶ Water conservation ponds
- ▶ Trough liners
- ▶ Fish tank liners
- ▶ Grow beds
- ▶ Deepwater culture system liners (raft bed liner)
- ▶ Media beds



20 MIL WHITE DURA SKRIM

Width			Length	
6'	12'	18'	50'	100'

FDA & USDA Compliant Product




20 MIL WHITE TUFF SCRIM

Width			Length	
6'	12'	18'	100'	

GROUND COVER

BLACK AND WHITE WOVEN POLYPROPYLENE FABRIC




Ground Cover is a woven polypropylene fabric with excellent permeability to let air, water, and nutrients through while blocking the light required for weed growth. It is the ideal choice for general purpose weed control and water conservation. It's UV treated and striped every 12" to aid in planting spacing.

Americover Ground Cover is ideal for greenhouses, outdoor displays, and a weed barrier for general plantings where weed prevention is a must.

APPLICATIONS

- ▶ Agricultural ground covers
- ▶ Weed barrier

Please Note: Lead times vary on fabricated sizes.



BLACK GROUND COVER

Widths (Black)					Length
3'	4'	6'	12'	15'	300'



WHITE GROUND COVER

Widths		Length
12'	15'	300'



THE AMERICOVER DIFFERENCE



Our deep and long-standing relationships with top-quality American manufacturers allow us to source and deliver products that are engineered to meet your specific needs.

TRUSTED BY GROWERS, BUILDERS, AND DISTRIBUTORS

Americover is the smart source for plastic and polyethylene sheeting. Trusted by contractors and distributors across construction and agriculture industries, our American-made products combine reliability with quality and innovation.

As an Americover client, you will receive the personalized support of a dedicated account manager to simplify the ordering process and ensure the best solution for each of your construction projects. Our friendly, knowledgeable staff is here to answer your questions and fulfill orders Monday-Friday from 7:30 a.m. to 4:30 p.m. Pacific Standard Time.

www.americover.com

CUSTOMIZATION CAPABILITIES


CUSTOM LOGO PRINTING & CUSTOM FABRICATION

Americover has access to a wide array of products that meet various building, environmental, and public safety regulations. Our deep and long-standing relationships with top-quality American manufacturers allow us to source and deliver products engineered to meet your specific needs.

We have the flexibility to design customized solutions for our customers on a case-by-case basis, going the extra mile to meet and exceed expectations. If we don't have it, we'll find it, and if we can't find it, we create it. Minimum orders and set-up charges vary by product.

CUSTOM FABRICATED PRODUCTS

- ▶ String Reinforced Plastic Sheeting
- ▶ Self Adhesive Film
- ▶ Antistatic Bags
- ▶ Heavy Duty Liners: HDPE, LLDPE
- ▶ Debris Netting
- ▶ Fire Retardant Plastic Sheeting




DUCTCAP®

PROTECTIVE DUCT COVER BAGS SHEETS




The Ductcap® cover protects the entire air handling system during construction. Using a Ductcap® cover on all unfinished ends helps prevent moisture, dirt particles, dust, and debris from entering the air handling system.

The reusable Ductcap® cover is installed by stretching the elastic band over the round branch or any other open end. No tape, screws, or nylon ties are needed to secure the Ductcap® cover to the duct.



Styles 0610 & 1014 are manufactured from .002 mil. thickness orange polypropylene plastic with a 1/4" elastic band.

- ▶ #0610 - DUCTCAP® fits 6" through 9" round or 16-31 linear inches
- ▶ #1014 - DUCTCAP® fits 10" through 14" round or 32-47 linear inches



Styles 1418 - 3038 are manufactured from .0025 mil. thickness orange polypropylene plastic with a 3/8" elastic band.

- ▶ #1418 - DUCTCAP® fits 14" through 18" round or 48-59 linear inches
- ▶ #1824 - DUCTCAP® fits 18" through 24" round or 60-79 linear inches
- ▶ #2430 - DUCTCAP® fits 24" through 30" round or 80-99 linear inches
- ▶ #3038 - DUCTCAP® fits 30" through 38" round or 100-119 linear inches

Larger Sizes DC60-DC100 are Clear Disk Shaped with Elastic Band
 Styles DC60 - DC100 are manufactured from .0025 mil thickness clear polypropylene plastic with a 3/8" elastic band.

- ▶ DC60 - DUCTCAP® fits 38" through 56" round or 120 linear inches
- ▶ DC70 - DUCTCAP® fits 56" through 66" round or 160 linear inches
- ▶ DC80 - DUCTCAP® fits 66" through 76" round or 200 linear inches
- ▶ DC100- DUCTCAP® fits 76" through 96" round or 240 linear inches

APPLICATIONS

- ▶ Construction
- ▶ Shipping

SPECIALTY TAPES

DOUBLE SIDED, FIRE RETARDANT OR REINFORCED

BLUE FIRE RETARDANT 377 FRPE TAPE



Blue 377 FRPE polyethylene fire retardant tape has a high tack for a quick stick. It is repositionable and removable from many surfaces.

Roll Size: 4" x 180'

WHITE FIRE RETARDANT 225FR TAPE



White 225FR waterproof polyethylene-coated fire retardant tape with an exceptionally aggressive adhesive used when fire retardant tape is required.

Roll Widths: 2" | 3" **Length:** 180'

BLACK FIRE RETARDANT 268FR TAPE



268FR flame retardant sealing duct tape has an acrylic coated cloth and a natural rubber adhesive that self-extinguishes.

Roll Size: 2" x 100'

BLACK FIRE RETARDANT STEELE TAPE



Steele Tape is a PVC-backed tape ideal for electrical binding, application to carbon composite, and CFRP.

Roll Size: 3" x 60'

2- SIDED BUTYL TAPE



Butyl Tape is an aggressive rubber-like tape that is ideal for adhering polyethylene sheeting together and to other substrates.

Roll Size: 1.5" x 100'

WHITE VAPOR TAPE



Vapor Tape has a heavy-duty weather-resistant polyethylene backing with an aggressive, pressure-sensitive adhesive.

Roll Size: 4" x 180'

BLACK VAPOR TAPE



R25B Tape is a single-sided aggressive synthetic elastomeric adhesive that bonds instantly to properly prepared polyethylene and polypropylene. It is specially formulated to provide years of performance even in direct sunlight.

Roll Size: 4" x 100'

2- SIDED CLEAR TAPE



Clear 2-Sided Tape has a clear synthetic rubber adhesive coating used for binding panels of plastic sheeting together.

Roll Size: 1.75" x 300'

SCRIM REINFORCED TAPE



Reinforced Repair Tape is a scrim-reinforced polyethylene tape ideal for repairing or patching damaged sheeting.

Available in Black, Clear, and White.

Roll Size: 4" x 50'

WHITE 1/4" FELT TAPE



White Felt Tape comes in 1/4" thicknesses and is 1.5" wide. It provides a soft barrier between the greenhouse frame and cladding to prevent heat from penetrating the poly sheeting.

Roll Size: 1.5" x 50'

HEAT SHRINK TAPE



Heat Shrink Tape is compatible with heat shrink film used to repair holes, help tighten the shrink wrap film, seam zippers, etc.

Available in Blue and White.

Roll Widths: 2" | 4" | 6"
Length: 100'

ACCESSORIES

ZIPPERS, FASTENERS, GROMMETS & APPLICATORS


CHRISTMAS TREE RATCHET FASTENERS



These fasteners attach vapor barriers to foundation walls.

100/pack
500/pack

TARP GRIPPER GROMMETS



Tarp Grippers make it easy to add tie-down points to plastic sheeting and tarps.

20/pack

SHARK BITE GROMMETS



Shark Bite Grommets allow you to add a permanent grommet where you need to.

20/pack

TIE DOWN BUTTON GROMMETS



Tie Down Buttons allow you to add a removable grommet where you need to.

100/pack

EASYZIP HEAVY DUTY ZIPPER



Create an opening on any enclosure quickly and easily with a 7' long cloth zipper with an aggressive adhesive backing.

2-pack
24-pack

ADJUSTABLE CARPET COVER APPLICATOR



Load your roll of Carpet Cover on this applicator to quickly and evenly apply it to the floor.

Applicators adjust to roll widths:
24" and 36"

STICKY MATS 30 sheets per pad | 4 pads per pack



Part # (Color)	Size
StickyMats (Blue)	23" x 35"

STICKY MAT STARTER KIT WITH TRAY 30 sheets per pad | 1 pad, 1 tray

SMStarterKits	24" x 36"
---------------	-----------

THE BEST SELECTION OF INDUSTRIAL-SCALE SOLUTIONS FOR DISTRIBUTORS



AmeriCover Gives You Coverage You Can Count On

AmeriCover has been a premium supplier of specialty plastic sheeting to construction and agriculture for almost 30 years. When you become an AmeriCover distribution partner, you become part of our family. We pride ourselves on creating strong relationships with our distributors through our responsiveness and reliability.

Benefits of Being an AmeriCover Distributor

As a distributor, you will have access to a wide variety of innovative and high-quality products.

These are just a few benefits of working with us!

- ▶ Customization & Dropshipping
- ▶ Quality products made in the USA
- ▶ A dedicated account manager
- ▶ Great lead times on custom fabricated covers and liners
- ▶ Hundreds of inventoried products with NO MINIMUMS
- ▶ A selection of specialty items with low minimums
- ▶ Net 30 credit terms for qualified buyers
- ▶ Volume discounts
- ▶ Free marketing support
- ▶ Competitive pricing

www.americover.com



americover.com
760.747.6095